

■Flash Memory

デバイスメーカー Device Maker	デバイス名 Device Name	パッケージ Package Name	容量 (bit) Capacity (bit)	対応状況 Condition
AMIC	A25L5120-*	8-SOP (150mil)	512K	◎
AMIC	A25L0100-*	8-SOP (150mil)	1M	◎
AMIC	A25L0200-*	8-SOP (150mil)	2M	◎
AMIC	A25L0400-*	8-SOP (150mil)	4M	◎
AMIC	A25L0800-*	8-SOP (150mil)	8M	◎
AMIC	A25L512M-*	8-SOP (209mil)	512K	◎
AMIC	A25L010M-*	8-SOP (209mil)	1M	◎
AMIC	A25L020M-*	8-SOP (209mil)	2M	◎
AMIC	A25L040M-*	8-SOP (209mil)	4M	◎
AMIC	A25L080M-*	8-SOP (209mil)	8M	◎
AMIC	A25L016M-*	8-SOP (209mil)	16M	◎
AMIC	A25L032M-*	8-SOP (209mil)	32M	◎
AMIC	A25LQ032M-*	8-SOP (209mil)	32M	◎
AMIC	A25L016N-*	16-SOP (300mil)	16M	◎
AMIC	A25L032N-*	16-SOP (300mil)	32M	◎
AMIC	A25LQ032N-*	16-SOP (300mil)	32M	◎
ATMEL	AT45DB011D-SSH	8-SOP (150mil)	1M	○
ATMEL	AT45DB021D-SSH	8-SOP (150mil)	2M	○
ATMEL	AT45DB041D-SSU	8-SOP (150mil)	4M	○
ATMEL	AT45DB081D-SSU	8-SOP (150mil)	8M	○
ATMEL	AT45DB011D-SH	8-SOP (208mil)	1M	◎
ATMEL	AT45DB021D-SH	8-SOP (208mil)	2M	◎
ATMEL	AT45DB041D-SU	8-SOP (208mil)	4M	◎
ATMEL	AT45DB081D-SU	8-SOP (208mil)	8M	◎
ATMEL	AT45DB161D-SU	8-SOP (208mil)	16M	◎
ATMEL	AT45DB321D-SU	8-SOP (208mil)	32M	◎
ATMEL	AT45DB161D-TU	16-SOP (300mil)	16M	○
ATMEL	AT45DB321D-TU	16-SOP (300mil)	32M	○
ATMEL	AT45DB642D-TU	16-SOP (300mil)	64M	○
EON	EN25F05-***G	8-SOP (150mil)	512K	◎
EON	EN25F10-100G	8-SOP (150mil)	1M	◎
EON	EN25F20-***G	8-SOP (150mil)	2M	◎
EON	EN25F40-100G	8-SOP (150mil)	4M	◎
EON	EN25F80-***G	8-SOP (150mil)	8M	◎
EON	EN25F16-100G	8-SOP (150mil)	16M	◎
EON	EN25S20-75G	8-SOP (150mil)	2M	◎
EON	EN25S40-75G	8-SOP (150mil)	4M	◎
EON	EN25S80-75G	8-SOP (150mil)	8M	◎
EON	EN25Q16-100G	8-SOP (150mil)	16M	◎
EON	EN25F40-100H	8-SOP (208mil)	4M	◎
EON	EN25F80-***H	8-SOP (208mil)	8M	◎
EON	EN25F16-100H	8-SOP (208mil)	16M	◎
EON	EN25F32-100H	8-SOP (208mil)	32M	◎
EON	EN25S80-75H	8-SOP (208mil)	8M	◎
EON	EN25Q16-100H	8-SOP (208mil)	16M	◎
EON	EN25B64T-100F	16-SOP (300mil)	64M	◎
EON	EN29LV320BT-70T	48-TSOP	32M	◎
EON	EN29LV320BB-70T	48-TSOP	32M	◎
Excel Semi	ES25M40A-80**1	8-SOP (150mil)	4M	◎
Excel Semi	ES25M80A-80**1	8-SOP (150mil)	8M	◎

デバイスメーカー Device Maker	デバイス名 Device Name	パッケージ Package Name	容量 (bit) Capacity (bit)	対応状況 Condition
Excel Semi	ES25M16A-80**1	8-SOP (150mil)	16M	◎
Excel Semi	ES25P40-75**	8-SOP (208mil)	4M	◎
Excel Semi	ES25P80-75**	8-SOP (208mil)	8M	◎
Excel Semi	ES25P16-75**	8-SOP (208mil)	16M	◎
Excel Semi	ES25M40A-80**2	8-SOP (208mil)	4M	◎
Excel Semi	ES25M80A-80**2	8-SOP (208mil)	8M	◎
Excel Semi	ES25M16A-80**2	8-SOP (208mil)	16M	◎
Excel Semi	ES25M40A-80**3	16-SOP (300mil)	4M	◎
Excel Semi	ES25M80A-80**3	16-SOP (300mil)	8M	◎
Excel Semi	ES25M16A-80**3	16-SOP (300mil)	16M	◎
Excel Semi	ES25M40A-80**5	8-WSON (6x5mm)	4M	◎
Excel Semi	ES25M80A-80**5	8-WSON (6x5mm)	8M	◎
Excel Semi	ES25M16A-80**5	8-WSON (6x5mm)	16M	◎
FUJITSU DEVICES	MSP55LV160A	44-SOP	16M	◎
FUJITSU DEVICES	MSP55LV650M	44-SOP	64M	◎
FUJITSU DEVICES	MSP88LV025	88-LGA	2G	◎
FUJITSU DEVICES	MSP88LV040	88-LGA	4G	◎
FUJITSU DEVICES	MSP88LV045	88-LGA	4G	◎
FUJITSU DEVICES	MSP88LV080	88-LGA	8G	○
FUJITSU DEVICES	MSP14LS150	140-LGA	15G	○
FUJITSU DEVICES	MSP14LS300	140-LGA	30G	◎
Macronix	MX25L512M**	8-SOP (150mil)	512K	◎
Macronix	MX25L1005M**	8-SOP (150mil)	1M	◎
Macronix	MX25L2005M**	8-SOP (150mil)	2M	◎
Macronix	MX25L8005M**	8-SOP (150mil)	8M	◎
Macronix	MX25L4005AM**	8-SOP (150mil)	4M	◎
Macronix	MX25L512CM**	8-SOP (150mil)	512K	◎
Macronix	MX25L1005CM**	8-SOP (150mil)	1M	◎
Macronix	MX25L2005CM**	8-SOP (150mil)	2M	◎
Macronix	MX25L4005CM**	8-SOP (150mil)	4M	◎
Macronix	MX25L1605DM1**	8-SOP (150mil)	16M	◎
Macronix	MX25L8006EM1**	8-SOP (150mil)	8M	◎
Macronix	MX25L8005M2**	8-SOP (209mil)	8M	◎
Macronix	MX25L4005AM2**	8-SOP (209mil)	4M	◎
Macronix	MX25L1605DM2**	8-SOP (209mil)	16M	◎
Macronix	MX25L1635DM2**	8-SOP (209mil)	16M	◎
Macronix	MX25L3205DM2**	8-SOP (209mil)	32M	◎
Macronix	MX25L8006EM2**	8-SOP (209mil)	8M	◎
Macronix	MX25L1606EM2**	8-SOP (209mil)	16M	◎
Macronix	MX25L1605DM**	16-SOP (300mil)	16M	◎
Macronix	MX25L3205DM**	16-SOP (300mil)	32M	◎
Macronix	MX25L6405DM**	16-SOP (300mil)	64M	◎
Macronix	MX25L12805DM**	16-SOP (300mil)	128M	◎
Macronix	MX25L8006EM**	16-SOP (300mil)	8M	◎

デバイスメーカー Device Maker	デバイス名 Device Name	パッケージ Package Name	容量 (bit) Capacity (bit)	対応状況 Condition
Macronix	MX25L1606EM**	16-SOP (300mil)	16M	◎
Macronix	MX29F200CTM**	44-SOP	2M	◎
Macronix	MX29F400CTM**	44-SOP	4M	◎
Macronix	MX29F800CTM**	44-SOP	8M	◎
Macronix	MX29F200CBM**	44-SOP	2M	◎
Macronix	MX29F400CBM**	44-SOP	4M	◎
Macronix	MX29F800CBM**	44-SOP	8M	◎
Macronix	MX29LV400CTM**	44-SOP	4M	◎
Macronix	MX29LV800CTM**	44-SOP	8M	◎
Macronix	MX29LV160CTM**	44-SOP	16M	◎
Macronix	MX29LV400CBM**	44-SOP	4M	◎
Macronix	MX29LV800CBM**	44-SOP	8M	◎
Macronix	MX29LV160CBM**	44-SOP	16M	◎
Macronix	MX29LV321DT**	44-SOP	32M	◎
Macronix	MX29LV321DB**	44-SOP	32M	◎
Macronix	MX29LV320EM**	44-SOP	32M	◎
Macronix	MX29LV640EM**	44-SOP	64M	◎
Macronix	MX29LV320EBMM**	44-SOP	32M	◎
Macronix	MX29LV640EBMM**	44-SOP	64M	◎
Macronix	MX29F200CTT**	48-TSOP	2M	◎
Macronix	MX29F400CTT**	48-TSOP	4M	◎
Macronix	MX29F800CTT**	48-TSOP	8M	◎
Macronix	MX29F200CBT**	48-TSOP	2M	◎
Macronix	MX29F400CBT**	48-TSOP	4M	◎
Macronix	MX29F800CBT**	48-TSOP	8M	◎
Macronix	MX29GL320ETT**	48-TSOP	32M	◎
Macronix	MX29GL640ETT**	48-TSOP	64M	◎
Macronix	MX29GL320EBT**	48-TSOP	32M	◎
Macronix	MX29GL640EBT**	48-TSOP	64M	◎
Macronix	MX29GL320EHT**	48-TSOP	32M	◎
Macronix	MX29GL640EHT**	48-TSOP	64M	◎
Macronix	MX29GL320ELT**	48-TSOP	32M	◎
Macronix	MX29GL640ELT**	48-TSOP	64M	◎
Macronix	MX29LV400CTT**	48-TSOP	4M	◎
Macronix	MX29LV800CTT**	48-TSOP	8M	◎
Macronix	MX29LV160CTT**	48-TSOP	16M	◎
Macronix	MX29LV400CBT**	48-TSOP	4M	◎
Macronix	MX29LV800CBT**	48-TSOP	8M	◎
Macronix	MX29LV160CBT**	48-TSOP	16M	◎
Macronix	MX29LV320DTT**	48-TSOP	32M	◎
Macronix	MX29LV640DTT**	48-TSOP	64M	◎
Macronix	MX29LV320DBT**	48-TSOP	32M	◎
Macronix	MX29LV640DBT**	48-TSOP	64M	◎
Macronix	MX29LV161DTT**	48-TSOP	16M	◎
Macronix	MX29LV321DTT**	48-TSOP	32M	◎
Macronix	MX29LV161DBT**	48-TSOP	16M	◎

デバイスメーカー Device Maker	デバイス名 Device Name	パッケージ Package Name	容量 (bit) Capacity (bit)	対応状況 Condition
Macronix	MX29LV321DBT**	48-TSOP	32M	◎
Macronix	MX29SL800CTT**	48-TSOP	8M	◎
Macronix	MX29SL800CBT**	48-TSOP	8M	◎
Macronix	MX29SL402CTT**	48-TSOP	4M	◎
Macronix	MX29SL802CTT**	48-TSOP	8M	◎
Macronix	MX29SL402CBT**	48-TSOP	4M	◎
Macronix	MX29SL802CBT**	48-TSOP	8M	◎
Macronix	MX29GL128EHM**	70-SSOP	128M	◎
Macronix	MX29GL256EHM**	70-SSOP	256M	◎
Macronix	MX29GL512EHM**	70-SSOP	512M	◎
Macronix	MX29GL128ELM**	70-SSOP	128M	◎
Macronix	MX29GL256ELM**	70-SSOP	256M	◎
Macronix	MX29GL512ELM**	70-SSOP	512M	◎
Macronix	MX29GL128EUM**	70-SSOP	128M	◎
Macronix	MX29GL256EUM**	70-SSOP	256M	◎
Macronix	MX29GL512EUM**	70-SSOP	512M	◎
Macronix	MX29GL128EDM**	70-SSOP	128M	◎
Macronix	MX29GL256EDM**	70-SSOP	256M	◎
Macronix	MX29GL512EDM**	70-SSOP	512M	◎
Micron (Numonyx)	M25P05-AVMN***	8-SOP (150mi l)	512K	◎
Micron (Numonyx)	M25P10-AVMN***	8-SOP (150mi l)	1M	◎
Micron (Numonyx)	M25P20-VMN***	8-SOP (150mi l)	2M	◎
Micron (Numonyx)	M25P40-VMN***	8-SOP (150mi l)	4M	◎
Micron (Numonyx)	M25P80-VMN***	8-SOP (150mi l)	8M	◎
Micron (Numonyx)	M25P16-VMN***	8-SOP (150mi l)	16M	◎
Micron (Numonyx)	M25PE10-VMN***	8-SOP (150mi l)	1M	◎
Micron (Numonyx)	M25PE20-VMN***	8-SOP (150mi l)	2M	◎
Micron (Numonyx)	M25PE40-VMN***	8-SOP (150mi l)	4M	◎
Micron (Numonyx)	M25PE80-VMN***	8-SOP (150mi l)	8M	◎
Micron (Numonyx)	M25PX80-VMN***	8-SOP (150mi l)	8M	◎
Micron (Numonyx)	M25PX16-VMN***	8-SOP (150mi l)	16M	◎
Micron (Numonyx)	M25P40-VMW***	8-SOP (208mi l)	4M	◎
Micron (Numonyx)	M25P80-VMW***	8-SOP (208mi l)	8M	◎
Micron (Numonyx)	M25P16-VMW***	8-SOP (208mi l)	16M	◎
Micron (Numonyx)	M25P32-VMW***	8-SOP (208mi l)	32M	◎
Micron (Numonyx)	M25PE40-VMW***	8-SOP (208mi l)	4M	◎
Micron (Numonyx)	M25PE80-VMW***	8-SOP (208mi l)	8M	◎
Micron (Numonyx)	M25PE16-VMW***	8-SOP (208mi l)	16M	◎
Micron (Numonyx)	M25PX80-VMW***	8-SOP (208mi l)	8M	◎
Micron (Numonyx)	M25PX16-VMW***	8-SOP (208mi l)	16M	◎
Micron (Numonyx)	M25PX32-VMW***	8-SOP (208mi l)	32M	◎
Micron (Numonyx)	N25Q032A11*SE***	8-SOP (208mi l)	32M	◎
Micron (Numonyx)	N25Q064A11*SE***	8-SOP (208mi l)	64M	◎
Micron (Numonyx)	N25Q128A11*SE***	8-SOP (208mi l)	128M	◎
Micron (Numonyx)	N25Q032A13*SE***	8-SOP (208mi l)	32M	◎
Micron (Numonyx)	N25Q064A13*SE***	8-SOP (208mi l)	64M	◎

デバイスメーカー Device Maker	デバイス名 Device Name	パッケージ Package Name	容量 (bit) Capacity (bit)	対応状況 Condition
Micron (Numonyx)	N25Q128A13*SE***	8-SOP (208mil)	128M	◎
Micron (Numonyx)	M25P16-VMF***	16-SOP (300mil)	16M	◎
Micron (Numonyx)	M25P32-VMF***	16-SOP (300mil)	32M	◎
Micron (Numonyx)	M25P64-VMF***	16-SOP (300mil)	64M	◎
Micron (Numonyx)	M25P128-VMF***	16-SOP (300mil)	128M	◎
Micron (Numonyx)	M25PX32-VMF***	16-SOP (300mil)	32M	◎
Micron (Numonyx)	M25PX64-VMF***	16-SOP (300mil)	64M	◎
Micron (Numonyx)	N25Q032A11*SF***	16-SOP (300mil)	32M	◎
Micron (Numonyx)	N25Q064A11*SF***	16-SOP (300mil)	64M	◎
Micron (Numonyx)	N25Q128A11*SF***	16-SOP (300mil)	128M	◎
Micron (Numonyx)	N25Q256A11*SF***	16-SOP (300mil)	256M	◎
Micron (Numonyx)	N25Q032A13*SF***	16-SOP (300mil)	32M	◎
Micron (Numonyx)	N25Q064A13*SF***	16-SOP (300mil)	64M	◎
Micron (Numonyx)	N25Q128A13*SF***	16-SOP (300mil)	128M	◎
Micron (Numonyx)	N25Q256A13*SF***	16-SOP (300mil)	256M	◎
Micron (Numonyx)	M25P05-AVMP***	8-VPDFN (6x5mm)	512K	◎
Micron (Numonyx)	M25P10-AVMP***	8-VPDFN (6x5mm)	1M	◎
Micron (Numonyx)	M25P20-VMP***	8-VPDFN (6x5mm)	2M	◎
Micron (Numonyx)	M25P40-VMP***	8-VPDFN (6x5mm)	4M	◎
Micron (Numonyx)	M25P80-VMP***	8-VPDFN (6x5mm)	8M	◎
Micron (Numonyx)	M25P16-VMP***	8-VPDFN (6x5mm)	16M	◎
Micron (Numonyx)	M25P32-VMP***	8-VPDFN (6x5mm)	32M	◎
Micron (Numonyx)	M25PE10-AVMP***	8-VPDFN (6x5mm)	1M	◎
Micron (Numonyx)	M25PE20-VMP***	8-VPDFN (6x5mm)	2M	◎
Micron (Numonyx)	M25PE40-VMP***	8-VPDFN (6x5mm)	4M	◎
Micron (Numonyx)	M25PE80-VMP***	8-VPDFN (6x5mm)	8M	◎
Micron (Numonyx)	M25PE16-VMP***	8-VPDFN (6x5mm)	16M	◎
Micron (Numonyx)	M25PX80-VMP***	8-VPDFN (6x5mm)	8M	◎
Micron (Numonyx)	M25PX16-VMP***	8-VPDFN (6x5mm)	16M	◎
Micron (Numonyx)	M25PX32-VMP***	8-VPDFN (6x5mm)	32M	◎
Micron (Numonyx)	N25Q032A11*F6***	8-VPDFN (6x5mm)	32M	◎
Micron (Numonyx)	N25Q064A11*F6***	8-VPDFN (6x5mm)	64M	◎
Micron (Numonyx)	N25Q128A11*F6***	8-VPDFN (6x5mm)	128M	◎
Micron (Numonyx)	N25Q032A13*F6***	8-VPDFN (6x5mm)	32M	◎
Micron (Numonyx)	N25Q064A13*F6***	8-VPDFN (6x5mm)	64M	◎
Micron (Numonyx)	N25Q128A13*F6***	8-VPDFN (6x5mm)	128M	◎
Micron (Numonyx)	M25P16-VME***	8-VPDFN (8x6mm)	16M	◎
Micron (Numonyx)	M25P32-VME***	8-VPDFN (8x6mm)	32M	◎
Micron (Numonyx)	M25P64-VME***	8-VPDFN (8x6mm)	64M	◎
Micron (Numonyx)	M25P128-VME***	8-VPDFN (8x6mm)	128M	◎
Micron (Numonyx)	M25PX64-VME***	8-VPDFN (8x6mm)	64M	◎
Micron (Numonyx)	N25Q128A11*F8***	8-VPDFN (8x6mm)	128M	◎
Micron (Numonyx)	N25Q032A13*F8***	8-VPDFN (8x6mm)	32M	◎
Micron (Numonyx)	N25Q064A13*F8***	8-VPDFN (8x6mm)	64M	◎
Micron (Numonyx)	N25Q128A13*F8***	8-VPDFN (8x6mm)	128M	◎
Micron (Numonyx)	M29W400FT**N	48-TSOP	4M	◎
Micron (Numonyx)	M29W800FT**N	48-TSOP	8M	◎
Micron (Numonyx)	M29W160FT**N	48-TSOP	16M	◎
Micron (Numonyx)	M29W320FT**N	48-TSOP	32M	◎

デバイスメーカー Device Maker	デバイス名 Device Name	パッケージ Package Name	容量 (bit) Capacity (bit)	対応状況 Condition
Micron (Numonyx)	M29W640FT**N	48-TSOP	64M	◎
Micron (Numonyx)	M29W064FT**N	48-TSOP	64M	◎
Micron (Numonyx)	M29W400FB**N	48-TSOP	4M	◎
Micron (Numonyx)	M29W800FB**N	48-TSOP	8M	◎
Micron (Numonyx)	M29W160FB**N	48-TSOP	16M	◎
Micron (Numonyx)	M29W320FB**N	48-TSOP	32M	◎
Micron (Numonyx)	M29W640FB**N	48-TSOP	64M	◎
Micron (Numonyx)	M29W064FB**N	48-TSOP	64M	◎
Micron (Numonyx)	M29W400DT**N	48-TSOP	4M	◎
Micron (Numonyx)	M29W800DT**N	48-TSOP	8M	◎
Micron (Numonyx)	M29W320DT**N	48-TSOP	32M	◎
Micron (Numonyx)	M29W400DB**N	48-TSOP	4M	◎
Micron (Numonyx)	M29W800DB**N	48-TSOP	8M	◎
Micron (Numonyx)	M29W320DB**N	48-TSOP	32M	◎
Micron (Numonyx)	M29W160ET**N	48-TSOP	16M	◎
Micron (Numonyx)	M29W320ET**N	48-TSOP	32M	◎
Micron (Numonyx)	M29W160EB**N	48-TSOP	16M	◎
Micron (Numonyx)	M29W320EB**N	48-TSOP	32M	◎
Micron (Numonyx)	M29W640GT**NA	48-TSOP	64M	◎
Micron (Numonyx)	M29W640GB**NA	48-TSOP	64M	◎
Micron (Numonyx)	M29W640GH**NA	48-TSOP	64M	◎
Micron (Numonyx)	M29W640GL**NA	48-TSOP	64M	◎
Micron (Numonyx)	M29DW323DT*N	48-TSOP	32M	◎
Micron (Numonyx)	M29DW323DB*N	48-TSOP	32M	◎
Micron (Numonyx)	M29F200FT**N	48-TSOP	2M	◎
Micron (Numonyx)	M29F400FT**N	48-TSOP	4M	◎
Micron (Numonyx)	M29F800FT**N	48-TSOP	8M	◎
Micron (Numonyx)	M29F160FT**N	48-TSOP	16M	◎
Micron (Numonyx)	M29F200FB**N	48-TSOP	2M	◎
Micron (Numonyx)	M29F400FB**N	48-TSOP	4M	◎
Micron (Numonyx)	M29F800FB**N	48-TSOP	8M	◎
Micron (Numonyx)	M29F160FB**N	48-TSOP	16M	◎
Micron (Numonyx)	M29W128GH**N*	56-TSOP	128M	◎
Micron (Numonyx)	M29W256GH**N*	56-TSOP	256M	◎
Micron (Numonyx)	M29W128GL**N*	56-TSOP	128M	◎
Micron (Numonyx)	M29W256GL**N*	56-TSOP	256M	◎
Spansion	S25FL032P*M**01	8-SOP (208mil)	32M	◎
Spansion	S25FL032P*M**00	16-SOP (300mil)	32M	◎
Spansion	S25FL032P*N**00	8-WSON (6x5mm)	32M	◎
SST	SST25VF512-20-4C-S	8-SOP (150mil)	512K	◎
SST	SST25VF010A-33-4*-S	8-SOP (150mil)	1M	◎
SST	SST25VF020-20-4*-S	8-SOP (150mil)	2M	◎
SST	SST25VF020B-80-4*-S	8-SOP (150mil)	2M	◎
SST	SST25VF040B-*4*-S	8-SOP (150mil)	4M	◎
SST	SST25LF020A-33-4L-S	8-SOP (150mil)	2M	◎

デバイスメーカー Device Maker	デバイス名 Device Name	パッケージ Package Name	容量 (bit) Capacity (bit)	対応状況 Condition
SST	SST25LF040A-33-4L-S	8-SOP (150mil)	4M	◎
SST	SST25VF040B-**-4*-S2	8-SOP (200mil)	4M	◎
SST	SST25VF080B-**-4*-S2	8-SOP (200mil)	8M	◎
SST	SST25VF016B-**-4*-S2	8-SOP (200mil)	16M	◎
SST	SST25VF032B-**-4L-S2	8-SOP (200mil)	32M	◎
SST	SST25LF020A-33-4L-S2	8-SOP (200mil)	2M	◎
SST	SST25LF040A-33-4L-S2	8-SOP (200mil)	4M	◎
SST	SST25LF080A-33-4L-S2	8-SOP (200mil)	8M	◎
SST	SST25VF512-20-4C-Q	8-WSON (6x5mm)	512K	◎
SST	SST25VF010A-33-4*-Q	8-WSON (6x5mm)	1M	◎
SST	SST25VF020-20-4*-Q	8-WSON (6x5mm)	2M	◎
SST	SST25VF020B-80-4*-Q	8-WSON (6x5mm)	2M	◎
SST	SST25VF040B-**-4*-Q	8-WSON (6x5mm)	4M	◎
SST	SST25VF080B-**-4*-Q	8-WSON (6x5mm)	8M	◎
SST	SST25VF016B-**-4*-Q	8-WSON (6x5mm)	16M	◎
SST	SST25VF032B-**-4L-Q	8-WSON (6x5mm)	32M	◎
SST	SST25LF020A-33-4L-Q	8-WSON (6x5mm)	2M	◎
SST	SST25LF040A-33-4L-Q	8-WSON (6x5mm)	4M	◎
SST	SST39LF200A-**-4*-E	48-TSOP	2M	◎
SST	SST39LF400A-**-4*-E	48-TSOP	4M	◎
SST	SST39LF800A-**-4*-E	48-TSOP	8M	◎
SST	SST39VF200A-**-4*-E	48-TSOP	2M	◎
SST	SST39VF400A-**-4*-E	48-TSOP	4M	◎
SST	SST39VF800A-**-4*-E	48-TSOP	8M	◎
SST	SST39VF6401B-**-4*-E	48-TSOP	64M	◎
SST	SST39VF6402B-**-4*-E	48-TSOP	64M	◎
Winbond	W25X10LSNEG	8-SOP (150mil)	1M	◎
Winbond	W25X20LSNEG	8-SOP (150mil)	2M	◎
Winbond	W25X40LSNEG	8-SOP (150mil)	4M	◎
Winbond	W25X10ALSNI	8-SOP (150mil)	1M	◎
Winbond	W25X10BLSNI	8-SOP (150mil)	1M	◎
Winbond	W25X20ALSNI	8-SOP (150mil)	2M	◎
Winbond	W25X20BLSNI	8-SOP (150mil)	2M	◎
Winbond	W25X40ALSNI	8-SOP (150mil)	4M	◎
Winbond	W25X40BLSNI	8-SOP (150mil)	4M	◎
Winbond	W25X80ALSNI	8-SOP (150mil)	8M	◎
Winbond	W25X80BLSNI	8-SOP (150mil)	8M	◎
Winbond	W25X10AVSNI	8-SOP (150mil)	1M	◎
Winbond	W25X10BVSNI	8-SOP (150mil)	1M	◎
Winbond	W25X20AVSNI	8-SOP (150mil)	2M	◎
Winbond	W25X20BVSNI	8-SOP (150mil)	2M	◎
Winbond	W25X40AVSNI	8-SOP (150mil)	4M	◎
Winbond	W25X40BVSNI	8-SOP (150mil)	4M	◎
Winbond	W25X80AVSNI	8-SOP (150mil)	8M	◎
Winbond	W25Q40BVSNI	8-SOP (150mil)	4M	◎
Winbond	W25Q80BVSNI	8-SOP (150mil)	8M	◎
Winbond	W25Q16BVSNI	8-SOP (150mil)	16M	◎
Winbond	W25Q16CVSNI	8-SOP (150mil)	16M	◎
Winbond	W25Q32BWSNI	8-SOP (150mil)	32M	◎
Winbond	W25X40LSSEG	8-SOP (208mil)	4M	◎
Winbond	W25X80LSSEG	8-SOP (208mil)	8M	◎
Winbond	W25X40ALSSI	8-SOP (208mil)	4M	◎

デバイスメーカー Device Maker	デバイス名 Device Name	パッケージ Package Name	容量 (bit) Capacity (bit)	対応状況 Condition
Winbond	W25X80ALSSIG	8-SOP (208mil)	8M	◎
Winbond	W25X40AVSSIG	8-SOP (208mil)	4M	◎
Winbond	W25X40BVSSIG	8-SOP (208mil)	4M	◎
Winbond	W25X80AVSSIG	8-SOP (208mil)	8M	◎
Winbond	W25Q40BVSSIG	8-SOP (208mil)	4M	◎
Winbond	W25Q80BVSSIG	8-SOP (208mil)	8M	◎
Winbond	W25Q16BVSSIG	8-SOP (208mil)	16M	◎
Winbond	W25Q16CVSSIG	8-SOP (208mil)	16M	◎
Winbond	W25Q32BVSSIG	8-SOP (208mil)	32M	◎
Winbond	W25Q64BVSSIG	8-SOP (208mil)	64M	◎
Winbond	W25Q64CVSSIG	8-SOP (208mil)	64M	◎
Winbond	W25Q32BWSFIG	16-SOP (300mil)	32M	◎
Winbond	W25Q64CVSFIG	16-SOP (300mil)	64M	◎
Winbond	W25Q128BVFIG	16-SOP (300mil)	128M	◎
Winbond	W25X10LZPEG	8-WSON (6x5mm)	1M	◎
Winbond	W25X20LZPEG	8-WSON (6x5mm)	2M	◎
Winbond	W25X40LZPEG	8-WSON (6x5mm)	4M	◎
Winbond	W25X80LZPEG	8-WSON (6x5mm)	8M	◎
Winbond	W25X10ALZPIG	8-WSON (6x5mm)	1M	◎
Winbond	W25X20ALZPIG	8-WSON (6x5mm)	2M	◎
Winbond	W25X40ALZPIG	8-WSON (6x5mm)	4M	◎
Winbond	W25X80ALZPIG	8-WSON (6x5mm)	8M	◎
Winbond	W25X10AVZPIG	8-WSON (6x5mm)	1M	◎
Winbond	W25X10BVZPIG	8-WSON (6x5mm)	1M	◎
Winbond	W25X20AVZPIG	8-WSON (6x5mm)	2M	◎
Winbond	W25X20BVZPIG	8-WSON (6x5mm)	2M	◎
Winbond	W25X40AVZPIG	8-WSON (6x5mm)	4M	◎
Winbond	W25X40BVZPIG	8-WSON (6x5mm)	4M	◎
Winbond	W25X80AVZPIG	8-WSON (6x5mm)	8M	◎
Winbond	W25Q40BVZPIG	8-WSON (6x5mm)	4M	◎
Winbond	W25Q80BVZPIG	8-WSON (6x5mm)	8M	◎
Winbond	W25Q16BVZPIG	8-WSON (6x5mm)	16M	◎
Winbond	W25Q16CVZPIG	8-WSON (6x5mm)	16M	◎
Winbond	W25Q32BWZPIG	8-WSON (6x5mm)	32M	◎
Winbond	W25Q64CVZPIG	8-WSON (6x5mm)	64M	◎
Winbond	W25Q32BWZEIG	8-WSON (8x6mm)	32M	◎
Winbond	W25Q64CVZEIG	8-WSON (8x6mm)	64M	◎